GOVERNMENT OF ARUNACHAL PRADESH
OFFICE OF THE DEPUTY COMMISSIONER:: ITANAGAR CAPITAL COMPLEX
ITANAGAR

NCC/DC/IC/LM-(G) 34/2010/ Itanagar, the 10th March, 2015

LAND ALLOTMENT ORDER

In pursuance to the Govt. approval conveyed by the Director, department of Land Management, Govt. of Arunachal Pradesh vide letter No. LM-160/2011. dated 26/11/2011, an area measuring 6522, Sqmtrs only is hereby allotted to the Education Department Govt. of Arunachal Pradesh for Govt. Secondary School at Nirjuli

I. **SCHEDULE**

1. Area : 6522 Sqmtrs.
2. Plot/DAG No. ; 214
3. Sheet No :: J/28
4. Location : Nirjuli.

II. **BOUNDARY DESCRIPTION**

North	Colony Road/DAG, No. 206
South	Govt. Land Dag No. 2176 & 218.
East	Dag No. 200 &200/299.
West	Colony Approach Road.

III. The following terms and conditions are hereby attached to the allotment are as given below :-

a. The land so allotted shall not be used for any purpose other than that for which it has been allotted.

b. The Right of Way should be maintained in under if applicable except for making an approach road, dully approved by the Chief Engineer –II, PWD, Itanagar.
   i. 40 meters from the central line from the NH 52A.
   ii. 30 meters from the central line of State Highway
   iii. 10 meters from the central line of the Town Road.

c. Allotment shall be liable to be cancelled if the land is not put to use within six months of the allotment for the purpose of which it is allotted or if the allottee commit a breach of any of the condition of the allotment, and the Government may re enter on the land, provided, no such cancellation re entry shall be made unless the allottee is given a reasonable opportunity of being heard.

d. The allottee will submit a copy of the proposed building plan to the Director of Housing, Govt. of Arunachal Pradesh. And obtain prior approval before commencing construction. The allottee will also abide by any direction issued by the Deputy Commissioner or Government in this regard from time to time.

e. Any other condition which the Government may deem fit to impose in public interest.

Deputy Commissioner
Itanagar Capital Complex,
Itanagar (A.P.)

FIRE SAFETY PLAN - GROUND FLOOR
• EXTINGUISHER CARBON DIOXIDE
• EXTINGUISHER POWDER USED METAL
• EXTINGUISHER CHEMICAL FOAM
EXIT
EXIT
EXIT
EXIT
EXIT
START
N
SCALE : 1CM = 2.5MTR
MT 1:25 x 2.5
SQ.FT 1.005 x 2.5
SQ.M 0.25 x 1.0
Principal
Govt. Hr. Sec. School, Nilphil
Manager Cobalt Region (A/P)

OFFICE OF THE STATE PROJECT DIRECTOR
SAMAGRA SHIKSHA
INTEGRATED SCHEME FOR SCHOOL EDUCATION (ISSE)
ARUNACHAL PRADESH, ITANAGAR

File No.AR/ISSE/ACCESS/2020-21 Dated Itanagar the 4th August' 2020

OFFICE MEMORANDUM / NOTIFICATION

In pursuant to approved PAB Minutes conveyed by Ministry of Education, Govt. of India vide F.No. 32-5/2020-IS-16 of Dated 25th June'2020, Govt. Secondary School, Nirjuli is hereby upgraded from Secondary School to Higher Secondary School with effect from the academic session 2020-21

Slno	District	Block	School Name	Udise code	Upgraded to
1	Capital Complex Educational block	Borum	Govt. Secondary School, Nirjuli	12230106702	Higher Secondary School (Humanity/ Arts)

The District Education Authorities are hereby directed to make necessary arrangements for making them functional by enrolling the children in the School approved in PAB 2020-21 and submit the details of the students to this Office for further necessary action.

Sd/- (Niharika Rai) IAS
Commissioner Education
Govt. of Arunachal Pradesh, Itanagar

File No.AR/ISSE/ACCESS/2020-21 Dated Itanagar the 4th August' 2020

Copy to:

1. PS to Hon'ble Minister Education, Govt. of Arunachal Pradesh for kind information please.
2. PA to Commissioner Education-cum-SPD, Samagra Shiksha Itanagar, Govt. of Arunachal Pradesh for kind information please.
3. The Director Secondary Education, Govt. of Arunachal Pradesh for information Please.
4. The Director Elementary Education, Govt. of Arunachal Pradesh for information Please.
5. PA to DC-cum-DPD, Samagra Shiksha District Society, Capital Complex for kind information please.
6. DDSE-cum-DPO, Samagra Shiksha District Society, Capital Complex for kind information Please.
7. Finance Controller, Samagra Shiksha for kind information please.
8. Office Copy.

Neelam Tan, APCS
Dy. State Project Director
Samagra Shiksha/ISSE Itanagar,
Arunachal Pradesh

GOVERNMENT OF ARUNACHAL PRADESH
DIRECTORATE OF SECONDARY EDUCATION
ITANAGAR

No. DSE-20021/1/2021-DSE **Dated Itanagar, the 7th July'2025**

TO WHOM IT MAY CONCERN

This is to certify that Government Higher Secondary School, Nirjuli, Papumpare District was upgraded from Secondary to Higher Secondary vide order no- AR/ISSE/ACCESS/2020-21 dated 4th August'2020 is run by the Department of Secondary Education, Government of Arunachal Pradesh.

The Department of Secondary Education has no objection if the institution continues its affiliation under CBSE, New Delhi.

Digitally signed by
KADHING PERME
Date: 08-07-2025
11:10:21

(Kadhing Perme)
Director of Secondary Education
Govt. of Arunachal Pradesh
Itanagar

GOVERNMENT OF ARUNACHAL PRADESH
OFFICE OF THE DISTRICT LAND REVENUE & SETTLEMENT OFFICER
ITANAGAR CAPITAL REGION, ITANAGAR

NoDC-ICC-1212/235/2025. (E-254369) Dated Itanagar 'the 14 July2025

LAND AVAILABILITY CERTIFICATE

This is to certify that a plot of land measuring approximately 6522 Sqm bearing Land allotment vide order no-LM-160/2011.Dated 26/11/2011 located at Nirjuli purpose Education Itanagar Region is available/free from any encumbrance as per land record maintained in this office.

Sl.No.	Discription	Particular
1	Location	Nirjuli
2	Area	6522 sqm
3	Land Use as per Record	School
4	Purpose of Proposed Allotment	Education

This is reference to No-ED/GHSSN-02/2024/25. Dated Nirjuli 1ST July 2025.

(Byabang Naemeh)
District Land Revenue & Settlement Officer
Itanagar capital Region

District Land Revenue & Settlement Officer
Itanagar Capital Complex
Itanagar (A.P.)

14/7/2025
Principal
Govt. Hr. Sec. School, Nirjuli
Capital Complex, Itanagar
(A.P.)

GOVERNMENT OF ARUNACHAL PRADESH
OFFICE OF THE ASSISTANT ENGINEER
PHE & WS DEPARTMENT
SUB-DIVISION::NAHARLAGUN

AE

O/o the Assistant Engineer, PHE & WS Sub-Division ★ Naharlagun(A.P.) ★

No. AE/PHESD/NLG/W-39/2025-26/76 Dated Naharlagun the 7th July 2025

PROFORMA FOR SAFE DRINKING WATER AND SANITARY CONDITION CERTIFICATE

It is certified that an inspection team headed by, **Er. Tamchi Syam, Assistant Engineer, PHE & WS, Sub-Division, Naharlagun, inspected the site of the school, Govt. Higher Secondary School, Nirjuli, 07-07-2025** and on the basis of Water test report (**Attached**) dated 02-**07-2025 of Lab Assistant, PHE & WS Division** (PHED Lab) certified that the **Govt. Higher Secondary School, Nirjuli** has safe drinking water facilities for the students and members of staff of the institution. School also maintains the hygienic sanitation condition in the school building & the campus as per Norms prescribed by the Central/State/U.T. Govt.

This certification is valid till **30-06-2026.**

Signature with seal: .....

Er.Tamchi Syam
PHE & WS –Sub-Division
Naharlagun, A.P.

Assistant Engineer
PHE & WS Sub-Division
Naharlagun (A.P)

To,
The Principal
Govt. H.S.S., Nirjuli

(Name & Address of the Institution)

Principal
Govt. Hr. Sec. School, Nirjuli
Capital Complex, Itanagar
(A.P.)

GOVERNMENT OF ARUNACHAL PRADESH

OFFICE OF THE EXECUTIVE ENGINEER

NAHARLAGUN DIVISION, PWD, AP

NAHARLAGUN-791 110

स्वच्छ भारत

एक कदम स्वच्छता की ओर

Phone : 0360-2244379; Fax :2248344; e-mail : eenlg@yahoo.co.in

No: ND/DB-10(Cert)/2025-26/819 Dated: 09 / 07 /2025

BUILDING SAFETY CERTIFICATE

It is certified that the existing building School Building (name of the building or premises at Govt. Hr. Sec. School Nirjuli, Papum Pare District, (A.P) (address) is having block(s)/Floor(s) as per details below:

Detail of Block(s) in school	Block (1)	Block (2)	Block (3)
No. of Floor(s) in the Block	RCC Framed Structure: 8 Rooms	RCC Building G+1: 4 Rooms	RCC Framed Structure: 8 Rooms

The building is owned/ occupied by Govt. Hr. Sec. School Nirjuli, Papum Pare District, (A.P) (name of the institution) have complied with the building safety requirements in accordance with National Building Code Rules and verified by the officers concerned of Executive Engineer, Naharlagun Division, PWD, AP, Naharlagun (Name of Department/Govt.) on 08/07/2025 (date of inspection) in the presence of Principal of Govt. Hr. Sec. School Nirjuli, Papum Pare District, (A.P) (name and address of the Manager/Secretary or his representative) and that the building/ premises is fit for occupancy for running school with effect from 1974 for a period of 51 years in accordance with rule and subject to compliance of the specific conditions as appended.

1. Good
2. Good
3. Good

Issued on. 9/07/2025 at. 09/07/2025 ..... By

*Strike out whichever in not applicable. In case of block is more than six use separate sheet for detail.

Principal
Govt. Hr. Sec. School, Nirjuli
Itanagar Complex, Itanagar
(A.P.)

Signature with seal: .....

Executive Engineer
Naharlagun Division
PWD, A.P., Naharlagun

Name: Er.Chukhu Tacho

Designation: Executive Engineer

Name & Address of Department/ Office: PWD, Naharlagun Division

Tarh Nachung
Corporator -cum-
Standing Committe Finance, IMC

Ward No.-19
Nirjuli Complex
Nirjuli, Arunachal Pradesh - 791 109
☎: 8258971590

Ref. No.....

Date...12/7/2025

To,

The Principal
Government Higher Secondary School
Nirjuli Distt Papum Pare A.P

Sub: **Regarding Installation of Fire Extinguishers**

Sir,

I would like to bring to your kind attention that, as a responsible citizen and local representative, I am willing to take the initiative of installing fire extinguishers in your institution upon completion of the ongoing new school building.

Therefore, I kindly request you to inform me once the construction is completed so that necessary arrangements can be made for the installation.

With regard,

Tarh Nachung
Corporator Ward No.19
Itanagar Municipal Corporation(A.P.)

Dr. Tarh Nachung
Corporator, Ward No. 19
Nirjuli Complex

15/7/2025
Principal
Govt. Hr. Sec. School, Nirjuli
Capital Complex, Itanagar
(A.P.)

GOVERNMENT OF ARUNACHAL PRADESH
OFFICE OF THE DIRECTOR FIRE & EMERGENCY SERVICES
ITANAGAR

No.DIR/F&ES/FPW-14 (E)/GHSSN/2025 Dated Itanagar, the 17th July' 2025

Sub: - Verification for Issuance of Provisional Fire Safety Certificate.

Enclosed find herewith an application received from the I/c, Principal of Govt. Higher Secondary School, Nirjuli, District: Papum Pare, Arunachal Pradesh regarding issuance of Provisional Fire Safety Certificate.

You are hereby directed to scrutinize the drawing plan submitted by the applicant regarding fire safety installations as per the requirements of Arunachal Pradesh Building Bye Laws-2019. The check list should be accordingly filled in appropriate columns along with specific recommendation or otherwise it may be noted that your report should clearly mention whether the subject plot is accessible for Fire Tender and its movement. A complete report should be submitted to this office for further necessary action.

Further, if the remark in the Inspection report is "Not Recommended" due to shortfalls then you must direct the applicant in written to rectify the shortfalls within 15 days from the date of issue of such letter with request for re-verification after completion of shortfalls. A copy of the same should be send to this Directorate for intimation.

To

The Officer In-charge
Fire Station, Naharlagun

17/07/2025

Fire Prevention Officer (HQ)
Fire & Emergency Services
A.P., Itanagar

Memo No.DIR/F&ES/FPW-14 (E)/GHSSN/2024 Dated Ita, the 17th July'2025

Copy to: -

1. The I/c, Principal, GHSS, Nirjuli, District: Papum Pare, Arunachal Pradesh for information.
2. Office copy.

17/07/2025

Fire Prevention Officer (HQ)
Fire & Emergency Services
A.P., Itanagar